

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1107	@ad<"19990923" and @rlad<"19990923" and sock	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:16
L2	0	@ad<"19990923" and @rlad<"19990923" and sock and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:19
L3	2	@ad<"19990923" and @rlad<"19990923" and sock and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:20
L4	1701	@ad<"19990923" and @rlad<"19990923" and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:20
L5	3	@ad<"19990923" and @rlad<"19990923" and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:23
L6	56	(interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:35
L7	64	(interrogat\$4 or quer\$4 or retriev\$4) near3 (proxy or gateway or director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:35
L8	8	(interrogat\$4 or quer\$4 or retriev\$4) near3 (proxy or gateway) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:36
L10	395	(proxy or gateway) near3 directory	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:54
L11	0	(proxy or gateway) near3 directory and update and (retriev\$4 near3 parameter42)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:54
L12	0	(proxy or gateway) near3 directory and (retriev\$4 near3 parameter42)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:55
L13	41	(proxy or gateway) near3 directory and (retriev\$4 or request\$3 or query\$3) near3 parameter\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:11
L15	204	((proxy or gateway) with directory) and (retriev\$4 or request\$3 or query\$3) near3 parameter\$2 and behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:12
L16	18	((proxy or gateway) with directory) and ((retriev\$4 or request\$3 or query\$3) near3 parameter\$2) same behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:19

L17	2	"6477577".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
L18	387	(name adj3 server) near5 director\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
L19	2	(name adj3 server) near5 director\$3 same behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
S1	0	@ad<"19990923" and (transpare\$3 near10 gateway) and (inform same unavailable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 08:57
S2	2	@ad<"19990923" and (transpare\$3 near10 gateway) and inform and unavailable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:57
S3	22	@ad<"19990923" and "709".clas. and (inform same unavailable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:03
S4	5	@ad<"19990923" and "709".clas. and (inform same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:05
S5	0	@ad<"19990923" and ((inform near5 client) same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:06
S6	0	@ad<"19990923" and ((inform near10 client) same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:06
S7	0	@ad<"19990923" and ((inform near20 client) same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:06
S8	18	@ad<"19990923" and ((inform near20 client) and (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:07
S9	4	@ad<"19990923" and (inform near20 client) and (link near10 (failure or unestablished or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:09
S10	25	@ad<"19990923" and (inform near20 client) and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:13
S11	1655	@ad<"19990923" and inform and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 15:14
S12	260	@ad<"19990923" and "709".clas. and inform and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:14

S13	33	@ad<"19990923" and "709".cls. and (inform same client) and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:57
S14	2	"6496575".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/09/04 10:49
S15	0	@ad<"19990923" and ("SOCKS server" or (SOCKS adj3 V5) or (SOCKS adj3 V4)) and ("directory lookup" or (directory same lookup)) and (security or authenti\$5) and protocol and "relay data"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 14:03
S16	19	@ad<"19990923" and "SOCKS server" or SOCKS and ("directory lookup" or (directory same lookup)) and (security or authenti\$5) and protocol and "relay data"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:17
S17	0	@ad<"19990923" and 709/230.ccls. and "SOCKS server" and (directory near10 (gateway or "SOCK server" or "SOCKS server"))) and (security or authenti\$5) and protocol and "relay data"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:08
S18	0	@ad<"19990923" and 709/230.ccls. and "SOCKS server" and (directory near10 (gateway or "SOCK server" or "SOCKS server"))) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 11:33
S19	0	@ad<"19990923" and "SOCKS server" and (directory near10 (gateway or "SOCK server" or "SOCKS server"))) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 11:33
S20	0	@ad<"19990923" and "SOCKS server" and (directory near20 (gateway or "SOCK server" or "SOCKS server"))) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 11:33
S21	1	@ad<"19990923" and "SOCKS server" and (directory same (gateway or "SOCK server" or "SOCKS server"))) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 13:55
S22	10	@ad<"19990923" and "Active Directory" and Microsoft.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 13:56
S23	0	@ad<"19990923" and 709/230.ccls. and determine adj10 which adj20 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:15
S24	61	@ad<"19990923" and 709/230.ccls. and determine adj10 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 07:57
S25	0	@ad<"19990923" and 709/230.ccls. and determine adj10 protocol adj10 use	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:10
S26	1	@ad<"19990923" and 709/230.ccls. and determine adj10 protocol adj10 utili\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:17
S27	2	"5699350".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:17

S28	0	@ad<"19990923" and gateway near10 transparency and gateway near10 ("directory lookup" or (directory same lookup) or directory or interrogat\$3) and (retrieve near5 data) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:18
S29	0	@ad<"19990923" and gateway near10 transparency and gateway same ("directory lookup" or (directory same lookup) or directory or interrogat\$3) and (retrieve near5 data) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:18
S30	0	@ad<"19990923" and (gateway same transparency) and (gateway same ("directory lookup" or (directory same lookup) or directory or interrogat\$3)) and (retrieve near5 data) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S31	0	@ad<"19990923" and (gateway same transparency) and (gateway same (directory or interrogat\$3)) and (retrieve near5 data) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S32	0	@ad<"19990923" and (gateway same transparency) and (gateway same (directory or interrogat\$3)) and (retrieve same data) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S33	0	@ad<"19990923" and (gateway same transparency) and (gateway same (directory or interrogat\$3)) and (retrieve same data) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S34	14	@ad<"19990923" and (gateway same (directory or interrogat\$3)) and (retrieve same data) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:26
S35	38	@ad<"19990923" and (client near10 directory) and (retrieve near10 data) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:34
S36	4	@ad<"19990923" and ("client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:36
S37	4	@ad<"19990923" and ("client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:38
S38	4	@ad<"19990923" and (interrogat\$3 near20 "client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:40
S39	279	@ad<"19990923" and ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:41
S40	4	@ad<"19990923" and ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:41
S41	68	@ad<"19990923" and ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory)) and retriev\$3 adj10 data	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:42

S42	12	@ad<"19990923" and gateway same ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory) or directory) and (retriev\$3 adj10 data) and (access\$3 adj3 server) and enable and disable and update and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:42
S43	164	"5867495"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/09/03 19:25
S44	0	@ad<"19990923" and (transpare\$3 near10 gateway) and (search or inerroga\$5) near10 (directory or database) and ((retrieve or access) near behalf)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:44
S45	0	@ad<"19990923" and (transpare\$3 near10 gateway) and (search or inerroga\$5) near10 (directory or database) and ((retrieve or access) near10 behalf)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:45
S46	131	@ad<"19990923" and (transpare\$3 near10 gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:45
S47	29	@ad<"19990923" and (transpare\$3 near10 gateway) and retrieve	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:45
S48	6	@ad<"19990923" and (transpare\$3 near10 gateway) and retrieve and behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:49
S49	4	@ad<"19990923" and (transpare\$3 near10 gateway) and retrieve and behalf and retrieved	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 08:56
S58	90	@ad<"19990923" and (proxy same protocol same parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:58
S59	27	@ad<"19990923" and (proxy same protocol same parameter\$2) and behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:59
S60	6	@ad<"19990923" and ((proxy near10 protocol) same parameter\$2) and behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:59
S61	2	"5457821".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 15:15
S62	0	@ad<"19990923" and ((query or interrogat\$3) adj5 (director\$3 or database\$2 or storag\$3)) same (proxy adj2 server adj5 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 07:59
S63	84	@ad<"19990923" and (proxy adj2 server adj5 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:20
S68	2	@ad<"19990923" and ((proxy adj2 server adj5 protocol) same retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:41

S69	0	@ad<"19990923" and (proxy adj2 server same pars\$3 same determine adj10 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:21
S70	0	@ad<"19990923" and ((proxy adj2 server) same pars\$3 same (determine adj10 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:21
S71	0	@ad<"19990923" and ((proxy) same pars\$3 same (determine adj10 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:22
S72	5	@ad<"19990923" and proxy and (pars\$3 same (determine adj10 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:22
S73	1	@ad<"19990923" and ((proxy adj2 server adj5 protocol) same (database or repository))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:45
S74	0	@ad<"19990923" and ((proxy adj2 server adj5 protocol) same (parameter\$2 or attribut\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:45
S75	131	@ad<"19990923" and ((proxy adj2 server) same (parameter\$2 or attribut\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:45
S76	2	@ad<"19990923" and ((proxy adj2 server) near10 associat\$3 near10 (parameter\$2 or attribut\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:02
S77	0	@ad<"19990923" and (proxy adj2 server) same coordinat\$5 same request same users	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:03
S78	1	@ad<"19990923" and (proxy adj2 server) same coordinat\$5 same users	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:04
S79	47	@ad<"19990923" and (proxy or gateway) same coordinat\$5 same users	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:04
S80	0	@ad<"19990923" and (proxy or gateway) same coordinat\$5 same users same parameter\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:04
S81	3	@ad<"19990923" and (proxy or gateway) same coordinat\$5 same users same (parameter\$2 or attribut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 14:31
S82	115	@ad<"19990923" and (execut\$3 adj10 protocol same retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 14:32
S83	7	@ad<"19990923" and (execut\$3 adj10 protocol same retriev\$3) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 15:47

S84	13	@ad<"19990923" and socks adj5 (protocol or format)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 15:48
S85	6	@ad<"19990923" and socks adj5 (protocol or format) and (directory or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 15:49
S86	7	@ad<"19990923" and socks adj5 (protocol or format) and (director\$3 or database\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:36
S87	1292	@ad<"19990923" and (server near10 protocol same (database or repository or directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:37
S88	282	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:38
S89	198	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3) same (user\$2 or client\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:39
S90	20	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3) same (user\$2 or client\$2) same execut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:40
S91	1	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3) same (user\$2 or client\$2) same execut\$4) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:43
S92	350	@ad<"19990923" and (determin\$3 near10 protocol) same (retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:49
S93	14	@ad<"19990923" and ((determin\$3 near10 protocol) same ((retriev\$3 or quer\$3) near10 (parameter\$2 or attribut\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:45
S94	209	@ad<"19990923" and (determin\$3 adj10 protocol) same (retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:50
S95	4	@ad<"19990923" and (determin\$3 adj10 protocol) same (retriev\$3 or quer\$3) adj10 (parameter\$2 or attribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:51
S96	0	@ad<"19990923" and (proxy adj10 protocol) same (retriev\$3 or quer\$3) adj10 (parameter\$2 or attribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:51
S97	9	@ad<"19990923" and (proxy adj10 protocol) same (query\$3 or interrogat\$3) same (user\$2 or client\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:52
S98	3	@ad<"19990923" and (server adj5 side) same (prox\$3 adj5 cache\$2) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 14:28

S99	0	@ad<"19990923" and (server adj5 side) same (prox\$3 adj5 cache\$2) same client near10 (information\$2 or data\$2 or packet\$2 or object\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 14:28
S10 0	5	@ad<"19990923" and (server adj5 side) same (prox\$3 adj5 cache\$2) and (client near10 (information\$2 or data\$2 or packet\$2 or object\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:18
S10 1	337	@ad<"19990923" and ((gateway\$2 or prox\$3) same determine same protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:19
S10 2	107	@ad<"19990923" and ((gateway\$2 or prox\$3) same (determine near10 protocol\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:19
S10 3	20	@ad<"19990923" and ((gateway\$2 or prox\$3) same (determine near10 protocol\$2) same (execut\$3 or run or implement\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:28
S10 4	8	@ad<"19990923" and ((gateway\$2 or prox\$3) same. (determine adj10 protocol\$2) same (execut\$3 or run or implement\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:28
S10 5	2	"6131163".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 08:30